


SPECIFICATIONS

Model	EMP -730
Part Number	V11H056052
Projection System	EPSON original LCD prism technology
Projection Method	front/rear/ceiling mount
LCD	
Size	0.9" w/ MLA
Driving Method	EPSON Poly-Silicon TFT Active Matrix
Pixel Number	786,432 (1024 x 768) pixels x 3
Native Resolution	XGA
Aspect Ratio	4:3
Pixel Arrangement	Stripe
Projection Lens	
Type	Manual: Zoom/Focus
F-Number	1.9 to 2.1 (+/-3%)
Focal Length	31 to 36mm (+/-3%)
Zoom Ratio	1:1.16
Lamp	
Type	UHE 150W
Life (Typical)	1500 hours
Screen Size (Projected Distance)	30" to 300" diagonal (1.0 to 11.7m)
Keystone Correction	Vertical: +/-15°
Brightness (Typical)	2000 ANSI Lumens
Contrast Ratio (Typical)	400 :1
Brightness Uniformity (Typical)	85%
Color Reproduction	Full Color (16.7 million colors)
Speaker	1W Monoaural
Analog RGB Input	
Display Performance	
Native	1024 x 768 pixels
Resize	1600x1200/1280 x 1024/800x600/640 x 480
Input Terminal	
Video	Mini D-sub 15pin x 1
Audio	Stereo Mini Jack x 1
Video I/O	
Display Performance	550 TV Line
Input Signal	NTSC, NTSC4.43, PAL, M-PAL, N-PAL, PAL60, SECAM
Input Terminal	
Video	RCA x 1, S-Video x 1, D-sub 15pin x 1
Audio	Stereo Mini Jack x 1
Control I/O	
USB I/O	USB Connector Series B x 1 (For Mouse, K/B, Control)
Operating Temperature	5°C to 35°C (41°F to 95°F)
Power Supply Voltage	100-120V / 200-220V +/-10%, 50/60Hz AC
Dimension	Include Lens & Feet: 276(W) x 190(D) x 78.5(H) mm
Weight	1.9 kg/4.3 lbs
Fan Noise	39dB
Accessories	Power cord (1.8m), VGA cable (1.8m), video cable (RCA Yellow),USB mouse cable, remote control (card type), user's manual, soft case

Projection Distance



Diagonal Screen Size (Inches)	Wide (Metres)	Tele (Metres)
30"	1.0	1.1
40"	1.3	1.5
60"	2.0	2.3
80"	2.7	3.1
100"	3.3	3.9
150"	5.0	5.8
200"	6.7	7.8
300"	10.1	11.7